Author index

Auffray, Y., see Boutibonnes, P. (16) 227

Back, J.P., see Brooks, J.L. (16) 303
Bernát, D., see Jesenská, Z. (16) 209
Boutibonnes, P., Tranchard, C., Hartke, A., Thammavongs, B. and Auffray, Y.
Is thermotolerance correlated to heat-shock protein synthesis in *Lactococcus lactis* subsp. *lactis*? (16) 227
Bredie, W.L.P. and De Boer, E.
Evaluation of the MPN, Anderson-Baird-Parker, Petrifilm *E. coli* and Fluorocult ECD method for enumeration of *Escherichia coli* in foods of animal origin (16) 197
Brooks, J.L., Back, J.P. and Kroll, R.G.
Direct application to dairy foods of a *Listeria*-specific oligonucleotide probe to 16S rRNA (16) 303
Bryant, J., see Gill, C.O. (16) 51

Casado Goti, A., see Silla Santos, M.H. (16) 275
Caugant, D.A., see Kolstad, J. (16) 247
Chamblin, D.C., see Nolan, D.A. (16) 323
Cintas, L.M., see Sobrino, O.J. (16) 215
Curtis, G.D.W. and Mitchell, R.G.
Bacteriocin (monocin) interactions among *Listeria monocytogenes* strains (16) 283

D'Aoust, J.-Y., Sewell, A.M. and Warburton, D.W.
A comparison of standard cultural methods for the detection of foodborne *Salmonella* (16) 41
Debevere, J.M., see Zeitoun, A.A.M. (16) 89
De Boer, E., see Bredie, W.L.P. (16) 197
Delacy, K.M., see Hudson, J.A. (16) 99
De Simón, M., Tarragó, C. and Ferrer, M.D.
Incidence of *Listeria monocytogenes* in fresh foods in Barcelona (Spain) (16) 153
Donaghy, J.A. and Madden, R.H.
Impedance detection of *Salmonella* in processed animal protein and meat (16) 265

Edridge, A.L., see Hudson, J.A. (16) 99
El Marrakchi, A., see Hamama, A. (16) 69
El Othmani, F., see Hamama, A. (16) 69
Enguidanos, M.R., see Silla Santos, M.H. (16) 275

Faedo, M., see Hocking, A.D. (16) 123
Fernández, M.F., see Sobrino, O.J. (16) 215
Ferrer, M.D., see De Simón, M. (16) 153

Gill, C.O. and Bryant, J.
The contamination of pork with spoilage bacteria during commercial dressing, chilling and cutting of pig carcasses (16) 51
Gönül, Ş.A., see Karapınar, M. (16) 343
Gönül, Ş.A., see Karapinar, M. (16) 261
Gram, L.
Evaluation of the bacteriological quality of seafood (16) 25

Hamama, A., El Marrakchi, A. and El Othmani, F.
Occurrence of *Yersinia enterocolitica* in milk and dairy products in Morocco (16) 69
Hartke, A., see Boutibonnes, P. (16) 227
Hashimoto, H., see Nakano, H. (16) 117
Hernández, P.E., see Sobrino, O.J. (16) 215
Hocking, A.D. and Faedo, M.
Fungi causing thread mould spoilage of vacuum packaged Cheddar cheese during maturation (16) 123
Hof, H. and Rocourt, J.
Is any strain of *Listeria monocytogenes* detected in food a health risk? (16) 173
Holzapfel, W.H., see Mäkelä, P. (16) 167
Holzapfel, W.H., see Uhlman, L. (16) 141
Holzapfel, W.H., see Van Laack, R.L.J.M. (16) 183
Hudson, J.A., Mott, S.J., Delacy, K.M. and Edridge, A.L.
Incidence and coincidence of *Listeria* spp., motile aeromonads and *Yersinia enterocolitica* on ready-to-eat fleshfoods (16) 99

Hudson, J.A.
Variation in growth kinetics and phenotype of *Aeromonas* spp. from clinical, meat processing and fleshfood sources (16) 131

Igimi, S., see Ryu, C.-H. (16) 157
Inoue, S., see Ryu, C.-H. (16) 157

Jesenská, Z., Piecková, E. and Bernát, D.
Heat-resistant fungi in the soil (16) 209

Kamphuis, H.J., Van der Horst, M.I., Samson, R.A., Rombouts, F.M. and Notermans, S.
Mycological condition of maize products (16) 237
Karapınar, M. and Gönül, Ş.A.
Effects of sodium bicarbonate, vinegar, acetic and citric acids on growth and survival of *Yersinia enterocolitica* (16) 343
Karapinar, M. and Gönül, Ş.A.
Removal of *Yersinia enterocolitica* from fresh parsley by washing with acetic acid or vinegar (16) 261
Kolstad, J., Caugant, D.A. and Rørvik, L.M.
Differentiation of *Listeria monocytogenes* isolates by using plasmid profiling and multilocus enzyme electrophoresis (16) 247
Korkeala, H., see Mäkelä, P. (16) 167
Korkeala, H.J., see Mäkelä, P.M. (16) 161
Kroll, R.G., see Brooks, J.L. (16) 303
Kulshreshtha, S.B., see Singh, B.R. (16) 349
Kumagai, S., see Ryu, C.-H. (16) 157

Madden, R.H., see Donaghy, J.A. (16) 265
Mäkelä, P., Schillinger, U., Korkeala, H. and Holzapfel, W.H.
Classification of ropy slime-producing lactic acid bacteria based on DNA-DNA homology, and identification of *Lactobacillus sake* and *Leuconostoc amelibiosum* as dominant spoilage organisms in meat products (16) 167
Mäkelä, P.M. and Korkeala, H.J.
The ability of the ropy slime-producing lactic acid bacteria to form ropy colonies on different culture media and at different incubation temperatures and atmospheres (16) 161
Manzano, M., see Stecchini, M.L. (16) 79
McKee, R.A., see Pearson, B.M. (16) 63
Mitchell, R.G., see Curtis, G.D.W. (16) 283
Moleyar, V. and Narasimham, P.
Antibacterial activity of essential oil components (16) 337
Moreira, W.L., see Sobrino, O.J. (16) 215
Mott, S.J., see Hudson, J.A. (16) 99
Müller, C., see Untermann, F. (16) 109

Nakano, H., Yoshikuni, Y., Hashimoto, H. and Sakaguchi, G.
Detection of *Clostridium botulinum* in natural sweetening (16) 117
Narasimham, P., see Moleyar, V. (16) 337
National Advisory Committee on Microbiological Criteria for Foods, The,
Hazard Analysis and Critical Control Point System (16) 1
Nolan, D.A., Chamblin, D.C. and Troller, J.A.
Minimal water activity levels for growth and survival of *Listeria monocytogenes* and *Listeria innocua* (16) 323
Notermans, S., see Kamphuis, H.J. (16) 237
Nout, M.J.R.
Accelerated natural lactic fermentation of cereal-based formulas at reduced water activity (16) 313
Nuñez Kalasic, H., see Silla Santos, M.H. (16) 275

Pearson, B.M. and McKee, R.A.
Rapid identification of *Saccharomyces cerevisiae, Zygosaccharomyces bailii* and *Zygosaccharomyces rouxii* (16) 63
Piecková, E., see Jesenská, Z. (16) 209

Reilly, P.J.A. and Twiddy, D.R.
Salmonella and *Vibrio cholerae* in brackish-water cultured tropical prawns (16) 293
Rocourt, J., see Hof, H. (16) 173
Rodríguez, J.M., see Sobrino, O.J. (16) 215
Rombouts, F.M., see Kamphuis, H.J. (16) 237
Rørvik, L.M., see Kolstad, J. (16) 247
Rupnow, J.R., see Uhlman, L. (16) 141
Ryu, C.-H., Igimi, S., Inoue, S. and Kumagai, S.
The incidence of *Listeria* species in retail foods in Japan (16) 157

Sakaguchi, G., see Nakano, H. (16) 117
Samson, R.A., see Kamphuis, H.J. (16) 237
Sanz, B., see Sobrino, O.J. (16) 215
Sarais, I., see Stecchini, M.L. (16) 79
Schillinger, U., see Mäkelä, P. (16) 167
Schillinger, U., see Uhlman, L. (16) 141
Schillinger, U., see Van Laack, R.L.J.M. (16) 183
Sewell, A.M., see D'Aoust, J.-Y. (16) 41
Silla Santos, M.H., Nuñez Kalasic, H., Casado Goti, A. and Enguidanos, M.R.
The effect of pH on the thermal resistance of *Clostridium sporogenes* (PA 3679) in asparagus purée acidified with citric acid and glucono-δ-lactone (16) 275

Singh, B.R. and Kulshreshtha, S.B.
Preliminary examinations on the enterotoxigenicity of isolates of *Klebsiella pneumoniae* from seafoods (16) 349

Sobrino, O.J., Rodríguez, J.M., Moreira, W.L., Cintas, L.M., Fernández, M.F., Sanz, B. and Hernández, P.E.
Sakacin M, a bacteriocin-like substance from *Lactobacillus sake* 148 (16) 215

Stecchini, M.L., Manzano, M. and Sarais, I.
Antibiotic and disinfectant susceptibility in *Enterobacteriaceae* isolated from minced meat (16) 79

Tarragó, C., see De Simón, M. (16) 153
Thammavongs, B., see Boutibonnes, P. (16) 227
Tranchard, C., see Boutibonnes, P. (16) 227
Troller, J.A., see Nolan, D.A. (16) 323
Twiddy, D.R., see Reilly, P.J.A. (16) 293

Uhlman, L., Schillinger, U., Rupnow, J.R. and Holzapfel, W.H.
Identification and characterization of two bacteriocin-producing strains of *Lactococcus lactis* isolated from vegetables (16) 141

Untermann, F. and Müller, C.
Influence of a_w value and storage temperature on the multiplication and enterotoxin formation of staphylococci in dry-cured raw hams (16) 109

Van der Horst, M.I., see Kamphuis, H.J. (16) 237

Van Laack, R.L.J.M., Schillinger, U. and Holzapfel, W.H.
Characterization and partial purification of a bacteriocin produced by *Leuconostoc carnosum* LA44A (16) 183

Warburton, D.W., see D'Aoust, J.-Y. (16) 41

Yoshikuni, Y., see Nakano, H. (16) 117

Zeitoun, A.A.M. and Debevere, J.M.
Decontamination with lactic acid/sodium lactate buffer in combination with modified atmosphere packaging effects on the shelf life of fresh poultry (16) 89

Subject index

Acetic acid, (16) 261, (16) 343
Acidity, (16) 275
Aeromonas, (16) 99, (16) 131
Amino acid analogue, (16) 227
Animal test, (16) 173
Antagonism, (16) 215
Antibacterial activity, (16) 337
Antibacterial effect, (16) 343
Antibiotic, (16) 227
Antibiotic resistance, (16) 79
Antimicrobial, (16) 215
Apiculture, (16) 117
Asparagus, (16) 275
Aspergillus, (16) 237

Bacteria, (16) 25
Bacteriocin, (16) 141, (16) 183, (16) 283
Bee-feed, (16) 117
Bivalve molluscs, (16) 153

Carcass cutting, (16) 51
Carcass dressing, (16) 51
Cheese, (16) 123
Chicken, (16) 89
Cinnamic aldehyde, (16) 337
Citric acid, (16) 275, (16) 343
Clostridium botulinum spores, (16) 117
Clostridium sporogenes, (16) 275
Corn syrup, (16) 117
Cultured prawn, (16) 293
Culture method, (16) 161

Dairy food, (16) 303
Dairy product, (16) 69
Disinfectant resistance, (16) 79
DNA base composition, (16) 167
DNA homology, (16) 167
Dry-cured raw ham, (16) 109

Enrichment broth, (16) 41
Enterobacteriaceae, (16) 79
Enterotoxin, (16) 349
Enterotoxin production, (16) 109
Enumeration method, (16) 197
Escherichia coli, (16) 197
Essential oil component, (16) 337
Extracellular polysaccharide (EPS), (16) 237

Food safety, (16) 183
Fungi, (16) 123

Glucono-δ-lactone, (16) 275
Growth, (16) 323
Growth kinetics, (16) 131

Health risk, (16) 173
Heat resistance, (16) 275
Heat resistant fungi, (16) 209
Heat-shock response, (16) 227
Honey, (16) 117

Identification, (16) 63, (16) 167
Impedance, (16) 265
ISO method, (16) 41

Klebsiella pneumoniae var. *ozaenae*, (16) 349
Klebsiella pneumoniae var. *pneumoniae*, (16) 349

Lactic acid, (16) 89
Lactic acid bacteria, (16) 161, (16) 215
Lactobacillus plantarum, (16) 313
Lactobacillus sake, (16) 167, (16) 215
Lactococcus lactis, (16) 141
Lactococcus lactis subsp. *lactis*, (16) 227
Leuconostoc amelibiosum, (16) 167
Leuconostoc mesenteroides, (16) 167
Listeria, (16) 99, (16) 157, (16) 183, (16) 303
Listeria innocua, (16) 323
Listeria monocytogenes, (16) 153, (16) 173, (16) 247, (16) 283, (16) 323

Maize, (16) 237, (16) 313
Meat, (16) 79, (16) 197, (16) 265
Meat products, vacuum-packed, (16) 167
Microbiological methods, (16) 25
Milk, (16) 69

Minced meat, (16) 153
Modified atmosphere, (16) 89
Monocin, (16) 283
Mould spoilage, (16) 123
Multilocus enzyme electrophoresis, (16) 247
Mycology, (16) 237

Oligonucleotide probe, (16) 303

Parsley decontamination, (16) 261
Pathogenic bacteria, (16) 293
Pathogenicity, (16) 173
Penicillium, (16) 237
Plasmid profile, (16) 247
Polymerase chain reaction, (16) 63
Pork, (16) 51
Poultry, (16) 197
Processed animal protein, (16) 265

Ready-to-eat fleshfoods, (16) 99
Retail food, (16) 157
RNA extraction, (16) 303
Ropiness, (16) 161, (16) 167

Saccharomyces, (16) 63
Saccharomyces cerevisiae, (16) 313
Salmonella, (16) 41, (16) 265, (16) 293
Scalding, (16) 51
Seafood, (16) 25
Sensitivity, (16) 41
Shelf life, (16) 89
Shrimp, (16) 293
Skim milk powder, (16) 313
Sodium bicarbonate, (16) 343
Soil, (16) 209
Sorghum, (16) 313
Soya, (16) 313
Spoilage bacteria, (16) 51
Spoilage process, (16) 25
Spores, (16) 275
16S rRNA, (16) 303
Staphylococcus aureus, (16) 109
Starter culture, (16) 183
Strawberry fields, (16) 209
Sugar, (16) 117
Survival, (16) 323

Taxonomy, (16) 167
Thermotolerance, (16) 227
Thread mould, (16) 123

Vacuum packaging, (16) 123
Vegetable, (16) 141, 153
Vibrio, (16) 293
Vinegar, (16) 261, (16) 343

Water activity, (16) 313
Water activity level, (16) 323

Yeast, (16) 63
Y. enterocolitica, (16) 261
Yersinia enterocolitica, (16) 69, (16) 99, (16) 343
Yersinia spp., (16) 69

Zygosaccharomyces, (16) 63